



KING TONY

Enjoy your work

EN

€

**ALL NEW AND
EXCLUSIVE PRODUCTS**



**APRIL - JULY
2024**



New | P934385MRE **2749€^D**

386
PC.

LIFETIME GUARANTEE*

**XL MODEL D+ TOOL TROLLEY - 7 DRAWERS
+ 385 TOOLS SET**



**SQUAD
D7***



1/4" 3/8" 1/2"

Contents

2335M	5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14	1062	6, 8, 10, 11, 13, 14, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32	1970	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 24x27, 30x32
4335M	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32	3732M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32	1930	8x10, 10x12, 11x13, 12x14, 17x19, 19x22
4235M	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19	1025S	3.0, 4.0, 5.0, 6.0	1421	PH0 x 60, PH2 x 38
3375M	E8	1025P	PH1, PH2 x 2, PH3	1422	3 x 75, 6.5 x 38
4375M	E10, E12, E14, E16, E18, E20, E22, E24	1025Z	PZ1, PZ2 x 2, PZ3	1461	PH2 x 100, PH3 x 150
4033	T55, T70	1025T	T10, T15, T20, T25, T27, T30, T40	1462	6.5 x 100, 8 x 150
4049	M7, M8, M9, M10, M12, M13, M14, M16	1025H	H3, H4, H5, H6	1427	T8Hx75, T10Hx75, T15Hx75, T20Hx100, T25Hx100, T27Hx100, T30Hx125
4036	M6, M8, M10, M12	1025U	T10H, T15H, T20H, T25H, T27H, T30H, T40H	1421 extra long	PH2 x 300
4035	H6, H8, H10, H12	1025R		1422 extra long	6.5 x 300
4026	M14, M16, M18	1636H	H5, H6, H7, H8, H10, H12	43280212	212118
1025H	H3, H4, H5, H6	1636M	M6, M8, M10, M12	7711106A	7734020
1025U	T10H, T15H, T20H, T25H, T27H, T30H, T40H	1636T	T30, T40, T45, T50, T55, T60	7909405M	9DC23
1025Z	PZ1, PZ2	1832H	H3, H4, H5, H6, H7, H8, H10, H12	793204	797107
275555G	475510G	1832T	T15, T20, T25, T27, T30, T40, T45, T50	74408	74408
257145	2178DF	1836P	PH2, PH3	66HS07	66HB07
2142	222102, 222104	1836S	9 x 1.6, 11 x 2	66SS07	66SB07
425105, 425110	2792	1880P	PH2, PH3	611107	631106
4791	2813	1880S	8 x 1.2, 10 x 1.6	621106	651710C
4813		414810M 414810S	4112	785116	784310
3335M	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24	75363	770225	786238	782027
377108G	345308F	276A04G	361106R, 361108R	764G	Ø 2, Ø 3, Ø 4, Ø 5, Ø 6, Ø 8, Ø 10, Ø 12, Ø 14
329303, 329306	377108G	10D0	10, 12, 13, 14, 17, 18, 19	762G	18, 22
4435M	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32, 33, 34, 36	1130MR	H2.5, H3, H4, H5, H6, H8, H10	9TK108, 9TK112	
4945MX	17, 19, 21	1130SR	3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"		
7713308	6AB3175	1147R	T10H, T15H, T20H, T25H, T27H, T30H, T40H		
9AE32110 (Ø65-120)		1120MR	H1.5, H2, H2.5, H3, H4, H5, H6, H7, H8		
34440A	34440A	1143R	T10, T15, T20, T25, T27, T30, T40, T45, T50		
344231A (42-100 Nm)	158609				

*Unlimited guarantee, excluding impact tools.


Offer valid from 01/04/2024 to 31/07/2024. Recommended retail prices in euros excl. taxes. Non-contractual photographs.

SQUAD



RFS Risk-Free System	Bumper	700 kg	35 kg	30 kg
850x380 mm	Key central locking	Reinforced drawers	100%	


	Specifications	Dimensions L x D x H (mm)	
87SQ337BABK	Total	981x473x805	85
	Total + Ø127x50.8 mm wheels	981x473x994	
	5 drawers	850x380x70	
	2 drawers	850x380x150	



SQUAD

LIFETIME GUARANTEE*

4 - 32 mm
6 - 24 mm



P938G 178MD

178 TOOLS SET

530€^D

178 PC.

1/4" 1/2"

Contents

1062	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24	2335M	5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14
1421	PH1 x 100, PH2 x 38, PH3 x 150	4335M	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32
1422	8 x 150, 5.5 x 100, 6.5 x 38	1636H	H4, H5, H6, H7, H8, H10, H12
7610405	7621706, 7622007	1636M	M5, M6, M8, M10, M12
7640306, 7640406, 7640565, 7640607		1636T	T20, T25, T27, T30, T40, T45, T50, T55, T60
651710C	782130	1680H	H4, H5, H6, H7, H8, H10, H12
611108	631106	1680M	M5, M6, M8, M10, M12
621106		1680T	T20, T25, T27, T30, T40, T45, T50, T55, T60
75363	770225	1120MR	H1.5, H2, H2.5, H3, H4, H5, H6, H8, H10
414710M		1127R	T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H
457212	2792	1025H	H3, H4, H5, H6
477110G	277155G	1025S	3.0 x 0.5, 4.0 x 0.5, 5.0 x 0.8, 6.0 x 1.0
797707	797807P02	1025U	T10H, T15H, T20H, T25H, T27H, T30H, T40H
425105R	222302, 222304	1025Z	PZ1, PZ2, PZ3
2178DF	2142	1025P	PH1, PH2 x 2 ø 6 mm, PH3
4791R		1025T	T10, T15, T20, T25, T27, T30, T40
7909505M			

* Unlimited guarantee, excluding impact tools.

Limited edition

New | **P2511MRVFL** | **29€**

METRIC SOCKETS SET AND 1/4" RATCHET

Contents

	2335M	4, 5, 6, 7, 8, 9, 10, 11, 12, 13
	277355GS	

11 PC.

DIN 3122

90 Teeth 4°

IP51

Protection against dust and condensation

24 PC.

1/2"

+185 mm

4524MRV04K | **209€^B**

Case 820003K (389 x 230 x 66 mm). EVA #8 (375 x 187 mm).

Contents 5.08

	4335M	8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 28, 30, 32
	4251	125, 250 mm
	477322GS	
	4793	
	457212	

P3446A105 **159€^B** **4 PC.** **Available end of may**

ANTI-MARKING ROTATING PLASTIC

HEAVY DUTY ADJUSTABLE TORQUE WRENCH

DIN ISO 6789 & ASME B107.300-2010. Quick release button design. Fixed head version, allowing to operate in reduced spaces. 5° Gear action degree (72 teeth). Torque accuracy tolerance +3% (CW). Clockwise (CW) and counter-clockwise (CCW) triggering.

Quick automatic return adjustment
Comfortable rubber handle

72 teeth
5°

TOLERANCE +/- 3%

SA SERIES	Square drive	Torque range Nm	Graduation	Total length mm	kg
3446A1DG	1/2"	40-200 Nm	1 Nm	490	1.46

1/2" LONG IMPACT SOCKET SET - 3PCS

1/2"	Contents		L mm
494517M	17	86	
494519M	19	86	
494521M	21	86	

New P7816P06 **59€^B** **12 PC.**

2 SET OF ADAPTERS 1/4", 3/8", 1/2" & 3/4"

Contents	Contents
1/4" 2813	3/8" 4813
3/8" 3812	1/4" 4816
3/8" 3814	1/2" 6814
1/4" 2863P	3/8" 4863P
3/8" 3862P	1/4" 4866P
3/8" 3864P	1/2" 6864P

76MBH **6€^B** **Available end of june**

Compact: Only 5% size of 79B101

24 x 14 x 13 mm

Demagnetize **Magnetize**

- Fast demagnetization of the tool by sliding it over the demagnetizer.
- Instant magnetization upon inserting the tool.
- Magnetization makes it easy to store on metal surfaces.

New 76MBH **6€^B**

COMPACT MAGNETIZER / DEMAGNETIZER

3-in-1: magnetizer, demagnetizer and storage stand. Compact length 24 mm. Magnet x30 time more powerful vs. wearing magnet tip.

- Hold screwdriver bit 4 - 6.35 mm round or hex shank.
- The front-end is designed with a screw fixation groove to prevent screws from falling.
- Backup screws can be magnetized to prevent losses.
- Suitable for various tool combinations, such as screwdrivers, hex wrenches, Power Bits, and more.



New

Length shortened by 33%

20109MR 201A09MR

SNCM +V

201A09MR  **29€** ^B

Ideal for hard-to-reach areas

Contents  450

1.5H, 2H, 2.5H, 3H, 4H, 5H, 6H, 8H, 10H

 30°



New

9 PC.

Length shortened by 33%

20319PR 203A19PR

SNCM +V

203A19PR  **30€** ^B

Contents  450

T10, T15, T20, T25, T27, T30, T40, T45, T50












New


7 PC.

42207GP **97€** ^B

PRECISION PLIERS SET

Contents  652

	6AF11125		624705
	620705		63A705
	692705		631706
	633706		



6 PC.



External extraction



Internal extraction

796401MR **181€** ^B

SLIDE HAMMER GEAR PULLER SET

For jobs involving pull and grip gears, bearings, outer races, grease retainers, oil seals, etc.

- 2.6 lbs (1.2 kgs) slide hammer
- 400 mm length T-handle puller
- 3-in-1 hammer puller, to handle inside pull such as bearing cups and outer races, as well as regular outside pull jobs

Contents  4.5

- 1PC. 400 mm T handle shaft
- 1PC. 2.6 lbs / 1.2 kgs hammer
- 1PC. Adjustable nut
- 1SET Internal gear puller for Ø15-30mm(A)
- 1SET Internal gear puller for Ø30-80mm(B)
- 1SET External gear puller for Ø15-80mm(C)

New | **7990A0** | **55€^B**

7 PC.

Available end of may



1/4"

INTERCHANGEABLE AIR BLOW GUN SET

6 pcs quick release nozzle tip.

Contents		500
	7990A0P01 (1/4" BSPT) 7990A1P01 (1/4" NPT)	
	7990AP02	
	7990AP03	
	7990AP04	

- **7990AP02 - Non-scratch nozzle tip:** 100 mm. Made of plastic (nylon + glass fiber). Suitable for all types of project, prevents from damaging goods.
- **7990AP03 - Venturi nozzle:** Designed to increase air flow by 270%.
- **7990AP04 - Noise reducer flat jet nozzle:** Width 42 mm. Allows for noise reduction. Low sound level, under 85 dBA.
- **7990AP05 - Steel extension nozzle tip:** 100 mm - ø 6 mm.
- **7990AP06 - Conical rubber nozzle tip:** Non-scratch, allows to reduce air consumption (to use with 7990AP05).
- 7990AP07 - Safety venting nozzle tip control under:** Reduced pressure under 30PSI to keep user safe (to use with 7990AP05).




Air inlet (inch)	Air Pressure (bar)	Air Pressure (PSI)	Temperature range
1/4"	6,2 ~ 8,2	90 ~ 120	-20°C ~ 85°C


Plastic case dimensions : 207 x 170 x 55 mm.




• 6-angle adjustable airflow direction.



• Quick release



• Airflow adjusting knob.



• Brass inlet

P9TY145015AB | **527€^D** | **2 PC.**

TRANSMISSION JACK

Handle for easy adjustment.
Safety overload valve.
Pedal for hydraulic control.
Strong steel base.
Nylon wheels.



Capacity (kg)	Minimum height (mm)	Maximum height (mm)	kg
1500	1130	1915	55.5



New | **9TYN13303AB** | **359€^D**

HYDRAULIC TROLLEY JACK

Handle with dead man device (automatic turning handle).
Ergonomic handle with 2 hands.

Capacity (Ton)	Minimum height (mm)	Maximum height (mm)	kg
3 T	95	515	39.5



It's **NEW!**

1/2" 1600 Nm

CORDLESS IMPACT WRENCH

Smart stop function*
when loosening

3 speeds
clockwise rotation

Electric brake
Instant stop when the trigger is released.

Motor **BRUSHLESS**



DW406K

Without charger nor battery.

279€ D



DW406

DW406A

539€ D



DW406

2x DB1850P

DC1840A

Battery power	Square drive	Bolt size	Max. Torque	Free speed	Blows frequency	Weight
Ah - V	inch	mm	Nm	R.P.M	blows per minutes	kg
DW406	1/2"	M10-M25	1600	0-1400 / 0-1900 / 0-2400	bpm	2.00



PM7PACK

479€ D

It's **NEW!**



1/2" 900 Nm
CORDLESS COMPACT
IMPACT WRENCH



Smart stop function*
when loosening



Electric brake
Instant stop when the
trigger is released.



4 speeds
clockwise rotation



Motor
BRUSHLESS

CORDLESS GREASE GUN

Compatible with standard 400g grease cartridge :
DIN1284 & Lube-Shuttle.
Overpressure protection included.
LCD screen to control battery level.
Provided with 1 meter flexible hose & 73 cm strap.
Length (without battery) : 395 mm
Cartridge capacity: 400g

Consumables not available.



	Battery power Ah - V	Pressure bar	Grease flow ml/min	Square drive inch	Bolt size mm	Max. Torque Nm	Free speed R.P.M	Blows frequency Blows per minutes	Weight kg
								bpm	
DGG102K	5 Ah - 18 V	482	94,6	-	-	-	-	-	2.40
DW404K	5 Ah - 18 V	-	-	1/2"	M6-M16	900	0-900 / 0-1400 / 0-1800 / 0-2200	0-1150 / 0-1700 / 0-2300 / 0-2500	1.16

* Loose-stop function: once the bolt/nut is loosened, the speed slows down and the rotation stops after about one second, to prevent the bolt from falling.

It's **NEW!**



CORDLESS PRESSURE WASHER



Water gun utilizes a three-piston pump with super silent anti-vibration technology to clean both quietly yet thoroughly.

Metal Pump water and oil leak proof metal pump.

Dual trigger system with double click power control to operate at low or high power

DPW101 120€ D

Without charger nor battery.



Accessories include:



1 high precision 4-in-1 multi pattern nozzle (rotating turbo nozzle, 20°fixed nozzle, 60°fixed nozzle, 0°pencil jet)



1 foaming nozzle to apply detergent



1 quick-connect 4M water inlet hose for drawing fresh water from any source (a bucket, a pool, a can, a pond etc.)



2 lances of 28,5 cm each or 57 cm total length

	Battery power	Water flow	Air Pressure	Length	Hose length	Weight
	Ah - V	L / min	bar	mm	M	kg
DPW101	5 Ah - 18 V	2.8	25	876	4	1.72

It's **NEW!**

1/2"

★★★ Jumbo Hammer

884 Nm
NC4670Q
IMPACT WRENCH

198€ B



Square drive	Bolt size	Torque range	Max. torque	Free speed	Air consumption	Air pressure	Length	Net weight	Air inlet	Air hose	Sound level	Vibration level
Inch	mm	Nm	Nm	R.P.M	L/min	bar	mm	kg	Inch	Inch	dB(A)	m/s ²
NC4670Q	1/2"	16	204-680	884	9 000	147	6.3	105	1.1	1/4"	3/8"	85.0 3.3

It's **NEW!**



SC0320 **389€** B

AIR VIBRATION INJECTOR PULLER - 24 PCS
Designed to replace the sliding hammer without hand using.
Save the power and time to pull out the injector from engine.
High torque and two speeds designed to pull out the injector quickly.

Piston Stroke	Blows frequency	Max. torque	Thread	Air pressure	Max air pressure	Length	Net weight	Air inlet	Air hose	
mm	Blows per minutes	Nm	L/min	bar	bar	mm	kg	Inch	Inch	
SC0320	38	300/900	600	M18 x 1.5	6-9	10	500	2.7	1/4"	12




catalog.kingtony.eu




catalog.mightyseven.eu



 kingtonyeurope.com

 service-clients@kingtony.eu

 +33 5 49 30 33 27

